

	Type	Hits	Search Text
1	BRS	366	vary and capacitance and (integration adj time)
2	BRS	255	vary and capacitance and (integration adj time) and switch
3	BRS	257	(327/336 or 327/337) and (photodetect\$ or detect\$ or sensor\$)
4	BRS	179	(250/338.1 or 250/338.4 or 257/431 or 327/514) and capacitor and switch\$ and (integrate or integration)
5	BRS	26	(250/338.1 or 250/338.4 or 257/431 or 327/514) and capacit\$ and (integration adj time) and vary
6	BRS	74	(250/338.1 or 250/338.4 or 257/431 or 327/514) and capacit\$ and (integration adj time)
7	BRS	550	(250/339.02 or 250/338.1 or 250/338.4 or 257/431 or 327/514 or 250/214R or 250/214AL or 327/336 or 327/337□) and (capacitor or (charge adj well)) and ((integration adj time) or (time adj constant)) and (switch or switched)
8	BRS	381	(250/339.02 or 250/338.1 or 250/338.4 or 257/431 or 327/514 or 250/214R or 250/214AL or 327/336 or 327/337□) and (capacitor or (charge adj well)) and ((integration adj time) or (time adj constant)) and (switch or switched) and (detector or sensor)
9	BRS	714	(250/339.02 or 250/338.1 or 250/338.4 or 257/431 or 327/514 or 250/214R or 250/214AL or 327/336 or 327/337□) and ((integration adj time) or (time adj constant)) and (detector or sensor)

	DBs	Time Stamp	Comments	Error Definition
1	USPAT	2002/02/15 14:49		
2	USPAT	2002/06/04 16:08		
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/15 13:04		Truncation Overflow. Return string from Server is: 5'604'769
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/15 13:30		Truncation Overflow. Return string from Server is: 5'442985'
5	USPAT	2002/02/15 13:48		Truncation Overflow. Return string from Server is: 5'0'0'CAP
6	USPAT	2002/02/15 13:51		Truncation Overflow. Return string from Server is: 5'0'0'CAP
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 14:56		
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 16:07		
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 15:01		

	Type	Hits	Search Text
10	BRS	135	(250/339.02 or 250/338.1 or 250/338.4 or 257/431 or 327/514 or 250/214R or 250/214AL or 327/336 or 327/337□) and ((integration adj time) or (time adj constant)) and (detector or sensor) and (capacitor near5 parallel)
11	BRS	108	(250/339.02 or 250/338.1 or 250/338.4 or 257/431 or 327/514 or 250/214R or 250/214AL or 327/336 or 327/337□) and ((integration adj time) or (time adj constant)) and (detector or sensor) and (capacitor near5 parallel) and (switch or switched)

	DBs	Time Stamp	Comments	Error Definition
10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 15:13		
11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/04 15:16		